


Home | About Us | Search | Contact Us | Careers | Shopping Cart |

Call 304-932-4064 Address: 44 Michigan Ave, Smithers WV 25186, and 200 Upper Kanawha Way, Chylan WV 25035

Product Detail



ABDS 2000 DVR 16 Channel

Price: \$7995.00

ABDS 2000 DVR

16 or 32 Channel DVR (PDF)

ABDS 2000-16DVR sets the new standard in 32 channel high definition recording. Capable of recording at speeds of up to 240 pictures per second. ABDS 2000 DVR system supports up to 32 channels of video (with 2 boards), MPEG-4, RS232C (PAT/TILT/ZOOM/FOCUS/PRESET/GROUP), and 1,4,9,16 or 32(with 2 boards) split screen display.

\$7995.00

ABDS 2000-32 DVR 580GB HD can support up to a **32 ch** display and 2 Audio channels. Record and display speeds are at 120FPS or 240FPS(with 2 boards). Designed for people who need maximum recording capabilities.

Applications for use: Stores, Restaurants, Hotels, Offices, Warehouses, Conventions halls, Museums.

\$10995.00

Rack Mount Case

No. of board	1 or 2 (Rack Mount Case or Super Tower)
Motherboard	Intel
Remote Access	98/2000/XP (WEB or Client Software)
CD/RW	1
Copy Format	Streaming AVI
Camera Input	16 or 32(Option with 2 boards)
Audio Input	1ch. Audio Recording
Display Speed (FPS)	120 or 240(with 2 boards)
Recording Speed (FPS)	120 or 240(with 2 boards)
Screen Division	1,4,9,16, 32(with 2 boards)
Compression	MJPEG, MPEG4, MPEG4+ Selectable
Data Size	Average 3~5 KB / frame
Resolution	320X240, 720X240, 720X480
Emergency Call	Telephone No.
Send E-Mail	Send a mail attached JPEG or AVI
Recording Type	FULL TIME, SCHEDULE, MOTION, SENSOR RECORDING PRE ALARM / POST ALARM RECORDING
Recording Schedule	SCHEDULED BY TIME, DATE AND CAMERA
Motion Detection	MULTI-ZONE, MULTI-CHANNELS
Sensor Input/ Control Output	16
Auto Switching	1,2,3,4,CH. BY TIME INTERVAL
Watch Dog	AUTO REBOOTING
Pan/Tilt Control	RS232C (PAT/TILT/ZOOM/FOCUS/PRESET/GROUP) REMOTE MONITORING, RECORDING, SEARCHING AND PAN/TILT CONTROL
Network /Password	ANYWHERE IN THE WORLD VIATCP/IP, IPX, PSTN,ISDN,ADSL, etc.
Storage Structure	OWN DB STRUCTURE

Data Backup	HDD, CD-RW, DVD, DAT, ZIP, AVI etc.
TV OUT	1
Image Authentication	Digital Water Mark
Multi-Language Support	ENGLISH, KOREAN, TRADITIONAL CHINESE, SIMPLE CHINE
CPU	Intel P4(2.8GHz 16Ch.), (3.2GHz 32Ch)
RAM	512MB, 2GB
HDD	300, 600(32) and 80 GB SATA HD up to 2000GB internal
VGA Card	ATI 128MB AGP
O/S (Server)	Win XP
O/S (Client)	Win 98, ME, 2000, XP




DVR Characteristic

	<p>Real time display & High-image quality. No-camera display function on the Monitor while recording. Multi screen division display. (full screen mode, 4, 8,16 division) Text on screen describing Ch., Recording status, Camera name, network status.</p>
Monitoring	<p>Auto Switching function - 1ch, 4ch, 8ch switching. Display network connecting statue signal. Adjustable display speed for high rate of recording speed. Camera power, BLC, 8 different direction movement, Zoom In/Out, Focus, Preset, Group.</p>
Recording	<p>Voice recording Dual codec MJPEG, MPEG selectable. Recording by 16 different sensors detection and 16 alarms control output. Motion detection function - Multi Zones & Multi channels Auto Switching function - 1ch, 4ch, 8ch switching. Pre-alarm/Post-alarm Recording. Adjustable number of recording frame by each camera. Recording scheduled by date and time. HDD can be set recycle mode. Build own DB structure by recording time.</p>
Searching	<p>Search multi channels - 1, 4, 8, 16Ch. Simultaneously. Zoom function while searching. Smart Search Image compensation for clear image quality. Support Back up data of FDD, CD-RW, ZIP Drive, DAT. Adjustable playback speed for fast search and intensive search.</p>

- Network
 - Real-time monitoring and multi-channel searching via Network.
 - Controlling network user to access.
 - Recording data from client system.
 - Multitple-Server Remote Access manager tool
 - Pan/Tilt control from remote site.
- Others
 - Watch-dog function.
 - TV Output.

DVR Configuration



Call 304-932-4064 Fax 1-253-645-4823- Address: 44 Michigan Ave, Smithers WV 2518